UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/767,727	01/30/2004	Vittorio Accomazzi	14604	6086

293   7590   09/05/2008
Ralph A. Dowell of DOWELL & DOWELL P.C.
2111 Eisenhower Ave
Suite 406
Alexandria, VA 22314

EXAMINER
RUSH, ERIC

ART UNIT	PAPER NUMBER
2624	

MAIL DATE	DELIVERY MODE
09/05/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
Office Action Summary	10/767,727	ACCOMAZZI ET AL.
	Examiner	Art Unit	
	ERIC RUSH	2624	

-- *The MAILING DATE of this communication appears on the cover sheet with the correspondence address* --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) ☒ Responsive to communication(s) filed on <u>29 April 2008</u>.
2a) ☐ This action is **FINAL**.   2b) ☒ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) ☒ Claim(s) <u>1-18,27 and 28</u> is/are pending in the application.
   4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) <u>1-18,27 and 28</u> is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) ☐ The specification is objected to by the Examiner.
10) ☒ The drawing(s) filed on <u>30 January 2004</u> is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
    a) ☐ All b) ☐ Some * c) ☐ None of:
      1. ☐ Certified copies of the priority documents have been received.
      2. ☐ Certified copies of the priority documents have been received in Application No. _____.
      3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☐ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
    Paper No(s)/Mail Date _____.

4) ☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____
5) ☐ Notice of Informal Patent Application
6) ☐ Other: _____.

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1.   A request for continued examination under 37 CFR 1.114, including the

fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection.

Since this application is eligible for continued examination under 37 CFR 1.114,

and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the

previous Office action has been withdrawn pursuant to 37 CFR 1.114.

Applicant's submission filed on 08/05/2008 has been entered.

Response to Amendment

2.   This action is responsive to the amendment and remarks received on

04/29/2008. Claims 1—18 and 27 - 28 are currently pending.

Claim Rejections - 35 USC § 102

3.   The following is a quotation of the appropriate paragraphs of 35

U.S.C. 102 that form the basis for the rejections under this section made in this

Office action:

> A person shall be entitled to a patent unless –
>
> (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4.   Claims 1-6, 9, 11-13, 15-18, and 27-28 are rejected under 35

U.S.C. 102(b) as being anticipated by Sheehan et al. U.S. Patent No. 6,106,466.

-        With regards to claim1, Sheehan et al. teach an image processing

         system having a statistical appearance model for interpreting a

         digital image, the appearance model having at least one model

         parameter, the system comprising: a multi-dimensional first model

         object including an associated first statistical relationship and

         configured for deforming to approximate a shape and texture of a

         multi-dimensional target object in the digital image, (Sheehan et al.,

         Column 12, Lines 8 – 11, Column 14 Lines 27 - 52) and a multi-

         dimensional second model object including an associated second

         statistical relationship and configured for deforming to approximate

         the shape and texture of the target object in the digital image,

         (Sheehan et al., Column 15 Lines 65 – Column 16 Line 25, and

         Column 12 Line 43 – Column 13 Line 24, "Each ventricular surface

         for the images comprising the training data is represented by an

         abstract three-dimensional triangular mesh...Triangles comprising

         the abstract mesh are subdivided recursively to produce a

         smoother final surface having approximately 576 triangular faces in

         the preferred embodiment") the second statistical relationship such

         that the difference represents at least one of an anatomical

         geometry for a different position in a patient anatomy represented

         by the digital image or a difference pathology; (Sheehan et al.,

         Column 12 Line 43 – Column 13 Line 24 ,Sheehan et al. teach

         wherein the abstract three-dimensional triangular mesh is

comprised of multiple, 576, triangular faces each associated with anatomic landmarks, different regions i.e. different positions, of the patients left ventricle anatomical structure, Column 15 Lines 65 – Column 16 Line 25) a search module for applying the first model object to the image for generating a multi-dimensional first output object approximating the shape and texture of the target object and calculating a first error between the first output object and the target object, (Sheehan et al. Column 16 Lines 50 – 64) and for applying the second model object to the image for generating a multi-dimensional second output object approximating the shape and texture of the target object and calculating a second error between the second output object and the target object; (Sheehan et al., Fig. 13, Column 16 Lines 50 – 64) a selection module for comparing the first error with the second error such that one of the output objects with the least significant error is selected; (Sheehan et al. Fig. 13 Elements 238 & 244, Column 17 Lines 20 – 22) and an output module for providing data representing the selected output object to an output. (Sheehan et al. Fig. 1 Element 36, Column 17 Lines 41 – 48)

-     With regards to claim 2, Sheehan et al. teach the system according to claim 1; wherein the first model object is optimised for identifying a first one of the target object (Sheehan et al., Column 12 Lines 8 –

23) and the second model object is optimised for identifying a
second one of the target object, (Sheehan et al., Column 16 Lines
50 – 64) such that the second target object having an shape and
texture configuration different from the first target object. (Sheehan
et al., Column 16 Lines 50 – 64)

-       With regards to claim 3, Sheehan et al. teach the system according
to claim 2 further comprising the digital image being one of a set of
digital images, (Sheehan et al. Column 11 Lines 29 – 24) wherein
each of the model objects are configured for being applied by the
search module to each of the digital images of the set. (Sheehan et
al., Column 12 Lines 24 – 42)

-       With regards to claim 4, Sheehan et al. teach the system according
to claim 3, further comprising the selection module configured for
selecting one of the object models to represent all the images in the
set. (Sheehan et al. Column 13, Lines 3 – 6)

-       With regards to claim 5, Sheehan et al. teach the system according
to claim 1; wherein the output is selected from the group comprising
an output file for storage in a memory and a user interface.
(Sheehan et al. Fig. 2, Column 8 Lines 3 – 12 and Column 8 Line
61 – Column 9 Line 3)

-    With regards to claim 6, Sheehan et al. teach the system according
     to claim 2 further comprising a training module configured for
     having a set of training images including a plurality of training
     objects with different appearance configurations, (Sheehan et al.,
     Column 12 Lines 8 - 33) the training module for training the
     appearance model to have a plurality of the model objects
     optimised for identifying valid ranges of the shape and texture of
     respective ones of the target object. (Sheehan et al. Column 13
     Lines 55 – 65, Column 17 Lines5 – 13)

-    With regards to claim 9, Sheehan et al. the system according to
     claim 2, wherein the first and second model objects represent
     different appearance configurations of the same anatomy of two
     different two dimensional slices taken from spaced apart locations
     of an image volume of the anatomy. (Sheehan et al., Column 11
     Lines 22 – 28, Column 15 Line 65 – Column 16 Line 25)

-    With regards to claim 11, Sheehan et al. teach the system
     according to claim 1 further comprising a predefined characteristic
     associated with the model parameter of the selected model object,
     (Sheehan et al., Column 12 Lines 8 – 61) the predefined
     characteristic for aiding a diagnosis of a patient having an anatomy

represented by the selected output object. (Sheehan et al. Column 17 Lines 41 – 48)

- With regards to claim 12, Sheehan et al. teach the system according to claim 11, wherein the model parameter is partitioned in to a plurality of value regions, (Sheehan et al., Column 13 Line 66 – Column 14 Line 26) each of the regions assigned one of a plurality of the predefined characteristics. (Sheehan et al. Column 13 Lines 56 – 65)

- With regards to claim 13, Sheehan et al. teach the system according to claim 12, wherein the model parameter is selected from the group comprising a shape and texture parameter (Sheehan et al. Column 14 Lines 38 – 52), a scale parameter and a rotation parameter. (Sheehan et al., Column 14 Line 53 – Column 15 Line 10)

- With regards to claim 15, Sheehan et al. teach the system according to claim 12, wherein the output module provides to the output the predefined characteristic assigned to the selected output object. (Sheehan et al. Column 17 Lines 41 - 47)

- With regards to claim 16, Sheehan et al. teach the system according to claim 12 further comprising a training module configured for assigning the plurality of the predefined characteristics to the model parameter. (Sheehan et al. Column 12 Lines 43 – 61)

- With regards to claim 17, Sheehan et al. teach the system according to claim 15 further comprising a confirmation module for determining if the value of the model parameter assigned to the selected output object is within one of the partitioned regions. (Sheehan et al. Column 16 Lines 50 - 64)

- With regards to claim 18, Sheehan et al. teach the system according to claim 17, wherein the value of the model parameter when outside of all the partitioned value regions indicates the first output object is an invalid approximation of the target object. (Sheehan et al. Column 17 Lines 3 – 13)

- With regards to claim 27, Sheehan et al. teach a method for interpreting a digital image with a statistical appearance model, the appearance model having at least one model parameter, the method comprising the steps of: providing a multi-dimensional first

model object including an associated first statistical relationship and
configured for deforming to approximate a shape and texture of a
multi-dimensional target object in the digital image; (Sheehan et al.,
Column 12, Lines 8 – 11, Column 14 Lines 27 - 52) providing a
multi-dimensional second model object including an associated
second statistical relationship and configured for deforming to
approximate the shape and texture of the target object in the digital
image, (Sheehan et al., Column 15 Lines 65 – Column 16 Line 25)
the second model object having a shape and texture configuration
different from the first model object; (Sheehan et al., Column 15
Lines 65 – Column 16 Line 25) applying the first model object to the
image for generating a multi-dimensional first output object
approximating the shape and texture of the target object; (Sheehan
et al. Column 16 Lines 50 – 64) calculating a first error between the
first output object and the target object; (Sheehan et al. Column 16
Lines 50 – 64) applying the second model object to the image for
generating a multi-dimensional second output object approximating
the shape and texture of the target object; (Sheehan et al., Fig. 13,
Column 16 Lines 50 – 64) calculating a second error between the
second output object and the target object; (Sheehan et al., Fig. 13,
Column 16 Lines 50 – 64) comparing the first error with the second
error such that one of the output objects with the least significant
error is selected; (Sheehan et al. Fig. 13 Elements 238 & 244,

Column 17 Lines 20 – 22) and providing data representing the
selected output object to an output. (Sheehan et al. Fig. 1 Element
36, Column 17 Lines 41 – 48)

-       With regards to claim 28, Sheehan et al. teach a computer program
product for interpreting a digital image using a statistical
appearance model, the appearance model having at least one
model parameter, the computer program product comprising: a
computer readable medium; (Sheehan et al. Column 8 Lines 3 -
15, Column 8 Line 61 – Column 9 Line 10) an object module stored
on the computer readable medium configured for having a multi-
dimensional first model object including an associated first
statistical relationship and configured for deforming to approximate
a shape and texture of a multi-dimensional I target object in the
digital image, (Sheehan et al., Column 12, Lines 8 – 11, Column
14 Lines 27 - 52) and a multi-dimensional second model object
including an associated second statistical relationship and
configured for deforming to approximate the shape and texture of
the target object in the digital image; (Sheehan et al., Column 15
Lines 65 – Column 16 Line 25) a search module stored on the
computer readable medium for applying the first model object to the
image for generating a multi-dimensional first output object
approximating the shape and texture of the target object and

calculating a first error between the first output object and the target

object, (Sheehan et al. Column 16 Lines 50 – 64) and for applying

the second model object to the image for generating a multi-

dimensional second output object approximating the shape and

texture of the target object and calculating a second error between

the second output object and the target object, (Sheehan et al., Fig.

13, Column 16 Lines 50 – 64) the second model object having a

shape and texture configuration different from the first model object;

(Sheehan et al., Column 15 Lines 65 – Column 16 Line 25) a

selection module coupled to the search module for comparing the

first error with the second error such that one of the output objects

with the least significant error is selected; (Sheehan et al. Fig. 13

Elements 238 & 244, Column 17 Lines 20 – 22) and an output

module coupled to the selection module for providing data

representing the selected output object to an output. (Sheehan et

al. Fig. 1 Element 36, Column 17 Lines 41 – 48)

Claim Rejections - 35 USC § 103

5.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for

all obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described
> as set forth in section 102 of this title, if the differences between the subject matter sought to
> be patented and the prior art are such that the subject matter as a whole would have been
> obvious at the time the invention was made to a person having ordinary skill in the art to which
> said subject matter pertains. Patentability shall not be negatived by the manner in which the
> invention was made.

6.   The factual inquiries set forth in *Graham* **v.** *John Deere Co.*, 383 U.S. 1,

148 USPQ 459 (1966), that are applied for establishing a background for

determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

      1.   Determining the scope and contents of the prior art.
      2.   Ascertaining the differences between the prior art and the claims at issue.
      3.   Resolving the level of ordinary skill in the pertinent art.
      4.   Considering objective evidence present in the application indicating obviousness or nonobviousness.

7.   Claims 7-8, 10, and 14 are rejected under 35 U.S.C. 103(a) as being

unpatentable over Sheehan et al. U.S. Patent No. 6,106,466 in view of Steven C.

Mitchell, Boudewijn P.F. Lelieveldt, Hans G. Bosch, Johan H.C. Reiber, and

Milan Sonka, "Disease Characterization of Active Appearance Model

Coefficients", MEDICAL IMAGING 2003.IMAGE PROCESSING 17-20 FEB. 2003

SAN DIEGO, CA, USA, vol. 5032, 17 February 2003(2003-02-17), pages 949-

957, Proceedings of the SPIE - The International Society for Optical Engineering

SPIE-Int. Soc. Opt. Eng USA.

-       With regards to claim 7, Sheehan et al. teach the system according

        to claim 2. Sheehan et al. fail to teach wherein the appearance

        model is an active appearance model. Mitchell et al. teach wherein

        the appearance model is an active appearance model. (Mitchell et

        al., Section 1 Paragraph 2 – Paragraph 3) It would have been

        obvious to one of ordinary skill in the art at the time of the invention

        to modify the system of Sheehan et al. with the teachings of

Mitchell et al. This modification would have been prompted
because Active appearance models allow for the expected size,
shape, and appearance variations in objects of interest.

- With regards to claim 8, Sheehan et al. teach the system according
to claim 2. Sheehan et al. fail to teach wherein the first and second
model objects represent different pathology types of patient
anatomy. Mitchell et al. teach wherein the first and second model
objects represent different pathology types of anatomy. (Mitchell et
al. Section 1.1) It would have been obvious to one of ordinary skill
in the art at the time of the invention to modify the system of
Sheehan et al. with the teachings of Mitchell et al. This modification
would have been prompted because Sheehan et al. suggest using
their invention for a "plurality of three-dimensional reconstructions
of the left ventricles in a population of hearts exhibiting a wide
variety of types and severity of heart disease..." (Sheehan et al.
Column 12 Lines 8 – 23) This modification would allow for the user
to more quickly diagnose patients accurately.

- With regards to claim 10, Sheehan et al. as modified teach the
system wherein the two different pathology types are represented
by two different training objects in a set of training images since the
two different pathology types in the device of Mitchell et al. are

represented by two different training objects in a set of training

images. (Mitchell et al., Section 1.1 Paragraph 1 and Section 3

Paragraph 1)

- With regards to claim 14, Sheehan et al. teach the system

according to claim 12. Sheehan et al. fail to teach wherein at least

two of the predefined characteristics represent different pathology

types of the anatomy. Mitchell et al. teach wherein at least two of

the predefined characteristics represent different pathology types of

the anatomy. (Mitchell et al. Section 1.1 Paragraph 1) It would have

been obvious to one of ordinary skill in the art at the time of the

invention to modify the system of Sheehan et al. with the teachings

of Mitchell et al. This modification would have been prompted in

order to allow for weights to be applied to these characteristics,

which would therefore help a user more accurately diagnose

patients quickly, accurately, and effectively with the aid of the

systems.

Response to Arguments

8.   Applicant's arguments filed 4/29/2008 have been fully considered but they

are not persuasive.

-      On page 12 lines 6 – 12 of the remarks, the Applicant's Representative argues that Sheehan et al. describe how to build a *single* model and optimize that model which is different than the claimed invention which requires at least two different statistical models for segmenting a single image based on different geometrical and/or pathological considerations. The Examiner respectfully disagrees. The claims are interpreted in their broadest reasonable interpretation. Sheehan et al. describe iteratively adjusting a mesh model to optimize that model to fit a patient's anatomical structure, Sheehan et al. use the left ventricle for purposes of explanation but in Column 9 Lines 22 – 35 disclose that their method/system may be employed on other anatomical structures (right ventricle). The Examiner asserts that once the mesh model of Sheehan et al. which is based upon a archetype model is updated/optimized the model becomes a second, different model, since some of the properties of the model are adjusted. Furthermore, the Examiner cites Column 12 Line 43 – Column 13 Line 19 of Sheehan et al. to bring Applicant's Representative's attention to the fact that Sheehan et al. describe a plurality of triangular meshes each of which is associated with a specific region/geometry/position of a patients anatomical structure. Each of these subdivided three-dimensional triangular meshes of Sheehan et al. are adjusted independently to fit their associated region on the ventricular surface. The mesh models therefor read on at least one model and at least a second different model wherein the statistical relationship of each

model is different and are associated with different positions of a patient's
anatomy.

-        On page 12 lines 14 – 22 of the remarks, the Applicant's
Representative argues that Sheehan et al. only defines one model, an
archetype shape with corresponding covariance matrix. The Applicant's
Representative argues that this single model is different that the
Applicant's claimed invention. The Examiner respectfully disagrees. The
Examiner asserts that the Archetype model of Sheehan et al. and the
covariance matrix of Sheehan et al. are used to construct a plurality of
triangular three-dimensional mesh models which are relied on to constitute
a first and second model as required in the claimed limitation.

Conclusion

Any inquiry concerning this communication or earlier communications from
the examiner should be directed to ERIC RUSH whose telephone number is
(571)270-3017. The examiner can normally be reached on 7:30AM - 5:00PM
(EST).

If attempts to reach the examiner by telephone are unsuccessful, the
examiner's supervisor, Samir Ahmed can be reached on (571) 272-7413. The
fax phone number for the organization where this application or proceeding is
assigned is 571-273-8300.

Information regarding the status of an application may be obtained from
the Patent Application Information Retrieval (PAIR) system. Status information
for published applications may be obtained from either Private PAIR or Public
PAIR. Status information for unpublished applications is available through
Private PAIR only. For more information about the PAIR system, see http://pair-
direct.uspto.gov. Should you have questions on access to the Private PAIR
system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-
free). If you would like assistance from a USPTO Customer Service
Representative or access to the automated information system, call 800-786-
9199 (IN USA OR CANADA) or 571-272-1000.

ER

/Samir A. Ahmed/

Supervisory Patent Examiner, Art Unit 2624